

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
8 March 2001 (08.03.2001)

PCT

(10) International Publication Number
WO 01/15543 A1

- (51) International Patent Classification: A23G 1/00, 3/00, 9/02
- (21) International Application Number: PCT/GB00/03268
- (22) International Filing Date: 25 August 2000 (25.08.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
9920300.2 27 August 1999 (27.08.1999) GB
- (71) Applicant (for all designated States except US): APV LIMITED [GB/GB]; Carlisle Place, London SW1P 1BX (GB).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): BROWN, Peter [GB/GB]; 7 Greenacres, Werrington, Peterborough, PE4 6LH (GB).
- (74) Agent: BARKER BRETTELL; Medina Chambers, Town Quay, Southampton, Hampshire SO14 2AQ (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:
— With international search report.
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CONFECTIONERY COATINGS



(57) Abstract: A process for coating a food product (10) comprises applying a coating (14) of aerated liquid confectionery material and applying a coating (15) or relatively unaerated liquid confectionery material. The liquid confectionery material used may be chocolate. Since unaerated chocolate generally melts less easily than aerated chocolate providing the product with an outer coating reduces the risk of chocolate melting in someone's fingers. Several other advantages also result from the inventive process. Since aerated chocolate is generally paler than unaerated chocolate, the coating of relatively unaerated chocolate improves the colour of the item. Moreover, since aeration can improve taste in some cases, a product coated in accordance with the invention could have improved taste without a deterioration in appearance or handling/shelf life characteristics.

Yet a further advantage of coating a product in accordance with the inventive process is that, since aerated chocolate is generally more viscous than unaerated chocolate, a thick coating of aerated chocolate could be applied at much lower cost than unaerated chocolate but at the same time achieving substantially the same consumer appeal as for a "thick" chocolate coating.

WO 01/15543 A1

CONFECTIONERY COATINGS

This invention relates to the application of confectionery coatings and particularly to the application of a number of confectionery coatings containing different levels of aeration.

- 5 Where the context admits, the term 'aerated' will be used herein to cover bubbles containing gases other than air. For example, bubbles of nitrogen may be used.

According to a first aspect of the invention there is provided a process for coating a product comprising applying a coating of aerated liquid
10 confectionery material and applying a coating of relatively unaerated liquid confectionery material.

Preferably the coating of relatively unaerated liquid confectionery material is substantially unaerated.

Preferably the coating of relatively unaerated liquid confectionery
15 material is applied subsequent to the application of the aerated layer.

The inventive coating process may be used to coat biscuits, confectionery items such as soft centres, bar combinations, frozen confectionery items, cakes and setting yoghurts etc.

The present invention is aimed primarily at providing a process for
20 applying a number of chocolate coatings to a product, the coatings containing different levels of aeration, but the invention may be used to produce composite coatings of other confectionery materials.

According to a second aspect of the invention there is provided a product, the product being provided with a coating of aerated confectionery material and a coating of relatively unaerated confectionery material.

5 The invention will now be further described, by way of example only, with reference to the accompanying drawings, in which:

Figure 1 is a schematic illustration of apparatus which uses the inventive process, and

10 Figure 2 is a schematic cross-section of an item which has been produced by the apparatus shown in Figure 1.

Figure 1 shows chocolate coating apparatus 1 which comprises a first coating unit 3, a second coating unit 4 and a conveyor belt 6.

The first and second units 3, 4 may be any suitable kind of coating unit. Many such coating units are known in the art.

15 The first and second coating units 3 and 4 may be in the form of manifolds which are generally in the form of tubes and are each provided with an inlet (not referenced) and an elongate outlet (not referenced) which is situated on the underside of each manifold. Such a coating unit is described in our co-pending application No. GB 9917657.0 filed
20 28 July 1999, No. GB 9909276.9 filed 22 April 1999, and in application No. PCT/GB00/01555 filed 19 April 2000. Those applications also disclose suitable apparatus for aerating the confectionery material supplied to coating unit 3.

Each manifold inlet is connected to a respective liquid confectionery material supply circuit (not illustrated) which may comprise a tempering unit.

In use, the chocolate coating apparatus 1 operates as follows. The
5 respective supply circuits feed liquid chocolate into the coating unit, the
coating unit 3 being supplied with aerated liquid chocolate and the
coating unit 4 being supplied with relatively unaerated liquid chocolate.

The coating units 3, 4 provide a curtain of aerated chocolate 7 and a
curtain of relatively unaerated chocolate 8 respectively. The chocolate
10 applied by coating unit 3 is typically 25% aerated, that is, the density of
the aerated chocolate is 25% less than that of non-aerated chocolate. The
bubbles present in the chocolate 7 are typically of microscopic size and
are therefore not visible to the naked eye.

The term 'relatively unaerated coating' used herein should be taken to
15 mean both a coating which has not been aerated and also a coating which
has been aerated to a certain extent but which would nevertheless be
considered to be substantially unaerated relative to the other (aerated)
coating 14.

A product placed on the conveyer belt 10 would first be coated by the
20 aerated chocolate curtain 7. The product would then pass through a
cooling tunnel 9 in order to reduce the temperature of the aerated
coating. The product is then coated by the relatively unaerated chocolate
curtain 8. The resulting item 12 which leaves the apparatus 1 is shown
in Figure 2, the product 10 having been provided with an aerated coating
25 14 and a relatively unaerated coating 15. The aerated coating 14 is
provided between the product 10 and the unaerated coating 15.

In some embodiments the cooling tunnel 9 may be omitted entirely or may if desired be replaced by an air blower to form a 'skin' on the aerated coating.

One advantage of the item 12 is that since unaerated chocolate generally melts less easily than aerated chocolate, the outer relatively unaerated coating reduces the risk of chocolate melting in someone's fingers. Another advantage of the item 12 is that since aerated chocolate is generally paler than unaerated chocolate, the coating of relatively unaerated chocolate improves the colour of the item. Moreover, since aeration can improve taste in some cases, a product coated by apparatus 1 could have improved taste without a deterioration in appearance or handling/shelf life characteristics.



Yet a further advantage of coating a product with the apparatus 1 is that since aerated chocolate is generally more viscous than unaerated chocolate, a thick coating of aerated chocolate could be applied at much lower cost than unaerated chocolate but at the same time achieving substantially the same consumer appeal as for a 'thick' chocolate coating.

The coating units 3 and 4 may employ dipping or spraying etc instead of enrobing.

CLAIMS

1. A process for coating a product (10) comprising applying a coating (14) of aerated liquid confectionery material and applying a coating (15) of relatively unaerated liquid confectionery material.
- 5 2. A process as claimed in claim 1 in which the coating (15) of relatively unaerated liquid confectionery material is substantially unaerated.
3. A process as claimed in claim 1 or claim 2 in which the coating (15) of relatively unaerated liquid confectionery material is applied subsequent
10 to the application of the aerated layer (14).
4. A process as claimed in any of the preceding claims in which the confectionery material of both layers (14, 15) is chocolate.
5. A product provided with a first coating (14) of aerated confectionery material and a second coating (15) of relatively unaerated
15 confectionery material, the second coating overlaying the first coating.

1/1

*Fig. 1**Fig. 2*

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 00/03268

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A23G1/00 A23G3/00 A23G9/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23G A21D A23P

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, FSTA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|---|-----------------------|
| X | PATENT ABSTRACTS OF JAPAN vol. 010, no. 219 (C-363), 31 July 1986 (1986-07-31) -& JP 61 056045 A (MEIJI MILK PROD CO LTD), 20 March 1986 (1986-03-20) abstract | 1-3,5 |
| X | US 4 499 113 A (MOCHIZUKI KEIZO ET AL) 12 February 1985 (1985-02-12) abstract; claims; examples column 1, line 51 -column 8, line 53 | 1-3,5 |
| X | GB 2 217 174 A (UNILEVER PLC) 25 October 1989 (1989-10-25) the whole document | 1-5 |
| | -/- | |



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

Z document member of the same patent family

Date of the actual completion of the international search

5 December 2000

Date of mailing of the international search report

12/12/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Boddaert, P

INTERNATIONAL SEARCH REPORT

Intern. Application No.
PCT/GB 00/03268

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|---|-----------------------|
| X | DE 42 14 581 C (JUHKE) 29 July 1993 (1993-07-29) column 1 -column 2; claims; figures 1,2 | 1-5 |
| X | FR 2 508 280 A (GEN FOODS CORP) 31 December 1982 (1982-12-31) the whole document | 1-3,5 |
| X | US 4 410 552 A (GAFFNEY BERNARD J ET AL) 18 October 1983 (1983-10-18) the whole document | 1-5 |
| X | WO 95 21536 A (UNILEVER PLC ;UNILEVER NV (NL)) 17 August 1995 (1995-08-17) page 2, line 31 -page 3, line 18; claims; examples | 1-5 |
| X | EP 0 919 133 A (TIP TOP INVESTMENTS LIMITED) 2 June 1999 (1999-06-02) column 9, line 10 - line 17; claims | 1-5 |
| X | PATENT ABSTRACTS OF JAPAN vol. 1995, no. 02, 31 March 1995 (1995-03-31) -& JP 06 319458 A (KANEBO LTD), 22 November 1994 (1994-11-22) abstract | 1-3,5 |
| X | PATENT ABSTRACTS OF JAPAN vol. 016, no. 025 (C-0903), 22 January 1992 (1992-01-22) & JP 03 240442 A (KYODO NYUGYO KK), 25 October 1991 (1991-10-25) abstract | 5 |
| A | US 4 081 559 A (JEFFERY MAURICE STANLEY ET AL) 28 March 1978 (1978-03-28) column 3, line 10 - line 36; examples | 1-5 |
| A | DE 42 03 086 C (SOLLICH) 27 May 1993 (1993-05-27) | |

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 00/03268

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|--|--|
| JP 61056045 A | 20-03-1986 | JP 1631922 C JP 2053014 B | 26-12-1991 15-11-1990 |
| US 4499113 A | 12-02-1985 | JP 1348237 C JP 58051845 A JP 61011573 B DE 3231580 A GB 2105968 A, B | 13-11-1986 26-03-1983 03-04-1986 10-03-1983 07-04-1983 |
| GB 2217174 A | 25-10-1989 | AT 72936 T AU 607838 B AU 2901989 A CA 1327483 A CA 1336828 A DE 3868902 A WO 8905588 A EP 0322952 A ES 2030162 T GR 3004280 T JP 6087746 B JP 2501708 T US 5017390 A | 15-03-1992 14-03-1991 19-07-1989 08-03-1994 29-08-1995 09-04-1992 29-06-1989 05-07-1989 16-10-1992 31-03-1993 09-11-1994 14-06-1990 21-05-1991 |
| DE 4214581 C | 29-07-1993 | NONE | |
| FR 2508280 A | 31-12-1982 | NONE | |
| US 4410552 A | 18-10-1983 | US 4410555 A | 18-10-1983 |
| WO 9521536 A | 17-08-1995 | AT 169181 T AU 679345 B AU 1848695 A CA 2183073 A, C CN 1140395 A, B CZ 9602354 A DE 69503881 D DE 69503881 T DK 743825 T EP 0743825 A ES 2121350 T FI 963115 A HU 74496 A JP 9508285 T NO 963330 A NZ 281204 A PL 317065 A SK 103596 A ZA 9501050 A | 15-08-1998 26-06-1997 29-08-1995 17-08-1995 15-01-1997 13-11-1996 10-09-1998 14-01-1999 03-05-1999 27-11-1996 16-11-1998 08-08-1996 28-01-1997 26-08-1997 09-08-1996 27-04-1998 03-03-1997 04-12-1996 12-08-1996 |
| EP 0919133 A | 02-06-1999 | AU 5390498 A GB 2331912 A US 6099874 A | 07-01-1999 09-06-1999 08-08-2000 |
| JP 06319458 A | 22-11-1994 | JP 3085822 B | 11-09-2000 |
| JP 03240442 A | 25-10-1991 | JP 2858342 B | 17-02-1999 |
| US 4081559 A | 28-03-1978 | GB 1490814 A | 02-11-1977 |

INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern. Application No.

PCT/GB 00/03268

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|----------------------------|---------------------|
| US 4081559 A | | AU 501440 B | 21-06-1979 |
| | | AU 1609976 A | 26-01-1978 |
| | | BE 844409 A | 16-11-1976 |
| | | DE 2632743 A | 10-02-1977 |
| | | ES 450062 A | 01-03-1978 |
| | | FR 2318589 A | 18-02-1977 |
| | | IN 141748 A | 09-04-1977 |
| | | IT 1073649 B | 17-04-1985 |
| | | JP 52012957 A | 31-01-1977 |
| | | LU 75440 A | 01-03-1977 |
| | | MY 25178 A | 31-12-1978 |
| | | NL 7608159 A | 25-01-1977 |
| | | NZ 181481 A | 18-12-1978 |
| | | US 4045583 A | 30-08-1977 |
| | | ZA 7604239 A | 27-07-1977 |
| DE 4203086 C | 27-05-1993 | NONE | |